




## Overview of elements 2021



## Base units

Carcase depth: 561 mm  
Carcase height: 720 mm  
Plinth height: 70, 100, 150 or 200 mm


### Base units



717

**Base unit**  
1 continuous door,  
1 shelf

**UD** 20/30/40/45/50/60 cm




141

573

**Base unit**  
1 pinned door,  
1 shelf


**U** 20/30/40/45/50/60 cm



717

**Base unit**  
2 continuous doors,  
1 shelf

**UD** 80/90/100/120 cm




141

573

**Base unit**  
2 pinned doors,  
1 shelf

**U** 80/90/100/120 cm




141

573

**Base unit**  
1 drawer,  
1 door,  
1 shelf

**US** 30/40/45/50/60 cm




141

573

**Base unit**  
2 drawers,  
2 doors,  
1 shelf

**US** 80/90/100/120 cm




141

573

**Base unit**  
1 drawer,  
2 doors,  
1 shelf

**USG** 80/90/100/120 cm




141

285

285

**Pull-out unit**  
1 drawer,  
2 pull-outs

**UA** 30/40/45/50/60/80/90/100/120 cm



141


141

141

285

**Drawer unit**  
3 drawers,  
1 pull-out


**U3SA** 30/40/45/50/60/80/90/100/120 cm



717

**Pull-out unit**  
1 pull-out,  
1 continuous front,  
2 hanging baskets with  
wooden bottoms


**UAMD** 20/30 cm



**UR** 15/20/30/40/45/50/60 cm

**Open shelf base unit**  
2 fixed shelves,  
side depth: 582 mm


### Corner base units



717

**Corner base unit**  
2 continuous doors,  
opening angle: 165°,  
1 shelf

**UDTE** 80/90 cm




141

573

**Corner base unit**  
2 pinned doors,  
opening angle: 165°,  
1 shelf


**UTE** 80/90 cm



717

**Corner base unit as carousel unit**  
2 continuous fronts,  
carcase height: 750 mm,  
1 revolving carousel with  
2 wooden shelves and  
metal railing, rotates 360°,  
height adjustable top shelf

**UEDK** 80/90 cm




141

573

**Corner base unit as carousel unit**  
2 pinned fronts,  
carcase height: 750 mm,  
1 revolving carousel with  
2 wooden shelves and  
metal railing, rotates 360°,  
height adjustable top shelf


**UEK** 80/90 cm



717

**Chamfered corner base unit**  
1 continuous door,  
1 shelf

**UED** 80/90 cm




141

573

**Chamfered corner base unit**  
1 pinned door,  
1 shelf

**UE** 80/90 cm


### Half corner base units



717

**Corner base unit**  
1 continuous door,  
1 shelf, 1 angle filler  
Carcase widths:  
900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UED90-40...x 1050-1150 mm  
UED90-45...x 1100-1200 mm  
UED100-50...x 1150-1250 mm  
UED100-60...x 1250-1350 mm

**UED90-40**  
**UED90-45**  
**UED100-50**  
**UED100-60**




141

573

**Corner base unit**  
1 drawer, 1 door,  
1 shelf,  
1 angle filler  
Carcase widths:  
900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE90-40...x 1050-1150 mm  
UE90-45...x 1100-1200 mm  
UE100-50...x 1150-1250 mm  
UE100-60...x 1250-1350 mm


**UE90-40**  
**UE90-45**  
**UE100-50**  
**UE100-60**



717

**Corner unit with swivel pull-out**  
1 continuous door,  
2 tablar shelves with metal railing,  
height adjustable,  
1 angle filler  
Carcase widths:  
900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE\*90-45...x 1100-1200 mm  
UE\*100-50...x 1150-1250 mm  
UE\*100-60...x 1250-1350 mm

**UEDSA90-45**  
**UEDSA100-50**  
**UEDSA100-60**




141

573

**Corner unit with swivel pull-out**  
1 drawer,  
1 door,  
2 wooden swivel tablars with metal railing,  
height adjustable,  
1 angle filler  
Carcase widths:  
900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE\*90-45...x 1100-1200 mm  
UE\*100-50...x 1150-1250 mm  
UE\*100-60...x 1250-1350 mm

**UESA90-45**  
**UESA100-50**  
**UESA100-60**




141

573

**Corner unit with swivel pull-out**  
1 pinned door,  
2 tablar shelves with metal railing, height adjustable,  
1 angle filler  
Carcase widths:  
900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE\*90-45...x 1100-1200 mm  
UE\*100-50...x 1150-1250 mm  
UE\*100-60...x 1250-1350 mm

**UESAV90-45**  
**UESAV100-50**  
**UESAV100-60**




**MP-GS**

**Surcharge for dishwasher recessed filler**  
on fillers and half-corner units, side panel made of carcase material, carcase depth: 561 mm

## Base units

Carcase depth: 561 mm  
Carcase height: 720 mm  
Plinth height: 70, 100, 150 oder 200 mm

### Angle fillers




UPE  
UPE-V

#### Angle filler

Continuous front material,  
70 x 70 mm, planning  
dimensions: 650 x 650 mm


as above, however **variable**  
from 50 to 170 mm, planning  
dimensions: 630 - 750 mm  
1st dimension = left /  
2nd dimension = right



MP-GS

**Surcharge for  
dishwasher recessed filler**  
on fillers and half-corner  
units, side panel made of  
carcase material,  
carcase depth: 561 mm


### Fillers / Panelling



UPK 10/20 cm

#### Filler


Carcase material,  
720 mm high,  
U-shaped seal for  
connection to wall  
width: 100/200 mm



UPD 20 cm

#### Front filler


Continuous front material,  
width: 200 mm



RK-72

#### Base unit back panel

16 mm thick,  
720 mm high,  
width: 250 - 2000 mm,  
available in all carcase and  
worktop décors from décor  
group 1,  
Vario clip fastening,  
in case of reproduction  
finishes vertical wood grain




RKS-72

as above, however,  
continuous height,  
including floor profile:  
70 mm plinth height:  
810 mm  
100 mm plinth height:  
840 mm  
150 mm plinth height:  
890 mm  
200 mm plinth height:  
940 mm

#### Available floor profile


colours:  
010 Black  
014 Stainless steel  
appearance



RFD-72

30/40/45/50/60/80/90 cm


### Cooker housing



HU 60 cm

#### Cooker housing


1 fixed panel,  
side sections: 177 mm deep,  
aperture dimension: 591 mm



HUB 60 cm

#### Cooker housing


1 fixed panel,  
aperture dimension: 598 mm



HUS 60 cm

#### Cooker housing

1 plastic drawer,  
16 l capacity,  
interior dimensions:  
485 x 480 x 68 mm,  
aperture dimension: 598 mm




HUG 60 cm

#### Cooker housing

1 large-capacity drawer with  
second level for baking trays,  
plastic, 30 l capacity,  
interior dimensions:  
480 x 380 x 150 mm,  
aperture dimension: 598 mm


### Hot plate units



KD60 60 cm

#### Hot plate unit

1 internal panel,  
1 construction shelf for  
heat insulation,  
1 door,  
1 shelf



K60 60 cm

#### Hot plate unit

1 panel,  
1 construction shelf for  
heat insulation,  
1 door,  
1 shelf



KS60 60 cm

#### Hot plate unit


1 drawer,  
1 spacer shelf for hot plate,  
1 door,  
1 shelf



KS2A  
60/80/90/100/120 cm

#### Hot plate unit

1 drawer,  
1 spacer shelf for hot plate,  
2 pull-outs




KD2A  
60/80/90/100/120 cm

#### Hot plate unit

1 internal panel,  
1 construction shelf for heat  
insulation,  
2 pull-outs


### Sink units



SPUD 40/45/50/60 cm

#### Sink base unit


1 internal panel,  
1 continuous door



SPU 40/45/50/60 cm

#### Sink base unit


1 fixed panel,  
1 door



SPUD 80/90/100/120 cm

#### Sink base unit


2 internal panels,  
2 continuous doors



SPU 80/90/100/120 cm

#### Sink base unit


2 fixed panels,  
2 doors



SPUAD  
40/45/50/60 cm

#### Sink base unit


1 internal panel,  
1 continuous front with  
centred handle,  
without pull-out rails and  
drill holes



SPUA 40/45/50/60 cm

#### Sink base unit


1 fixed panel,  
1 front with centred handle,  
without pull-out rails and  
drill holes




SPUDA-ASK  
45/50/60 cm

#### Sink base unit

**Separato-K**  
1 internal panel,  
1 pull-out, 500 mm deep, with  
**waste separation system**  
**Separato-K**  
with pull-out lid,  
1 x 18 and 2 x 8 litres,  
500 mm width: with  
1 side organiser,  
600 mm width: with  
2 side organisers,  
1 bio lid (for all widths)




### Doors for integrated appliances



GSB 45/60 cm

#### Door


for integrated  
dishwashers,  
without handle



GSBD\*-I 45/60 cm

#### Continuous door

for fully integrated  
dishwashers,  
built-under fridge and  
freezer units  
with pull-outs



GSB\*-I 45/60 cm

#### Pinned door


for fully integrated  
dishwashers,  
built-under fridge and  
freezer units  
with pull-outs

## Base units in XL height

Carcase depth: 561 mm  
Carcase height: 792 mm  
Plinth height: 70, 100, 150 or 200 mm




### XL Base units




**XL Base unit**  
1 continuous door,  
2 shelves

**UD\*-X** 20/30/40/45/50/60 cm




**XL Base unit**  
1 pinned door,  
2 shelves

**U\*-X** 20/30/40/45/50/60 cm




**XL Base unit**  
2 continuous doors,  
2 shelves

**UD\*-X** 80/90/100/120 cm




**XL Base unit**  
2 pinned doors,  
2 shelves

**U\*-X** 80/90/100/120 cm



**XL Base unit**  
1 drawer,  
1 door,  
1 shelf

**US\*-X** 30/40/45/50/60 cm




**XL Base unit**  
2 drawers,  
2 doors,  
1 shelf

**US\*-X** 80/90/100/120 cm




**XL Base unit**  
1 drawer,  
2 doors,  
1 shelf

**USG\*-X** 80/90/100/120 cm




**XL Pull-out unit**  
1 drawer,  
2 pull-outs

**UA\*-X** 30/40/45/50/60/80/90/100/120 cm




**XL Drawer unit**  
3 drawers,  
1 pull-out

**U3SA\*-X** 30/40/45/50/60/80/90/100/120 cm



**XL Pull-out unit**  
1 pull-out,  
1 continuous front,  
2 hanging baskets with  
wooden bottoms


**UAMD\*-X** 20/30 cm



**XL Open shelf base unit**  
2 fixed shelves,  
side depth: 582 mm


**UR\*-X** 15/20/30/40/45/50/60 cm

### XL Corner base units




**XL Corner base unit**  
2 continuous doors,  
opening angle: 165°,  
2 shelves

**UDTE\*-X** 80/90 cm




**XL Corner base unit**  
2 pinned doors,  
opening angle: 165°,  
2 shelves

**UTE\*-X** 80/90 cm




**XL Corner base unit  
as carousel unit**  
2 continuous fronts,  
Unit height: 822 mm,  
1 revolving carousel with  
2 wooden shelves and  
metal railing,  
rotates 360°  
height adjustable top shelf

**UEDK\*-X** 80/90 cm




**XL Corner base unit  
as carousel unit**  
2 pinned fronts,  
Unit height: 822 mm,  
1 revolving carousel with  
2 wooden shelves and  
metal railing,  
rotates 360°  
height adjustable top shelf

**UEK\*-X** 80/90 cm



**XL Chamfered corner base  
unit**  
1 continuous door,  
2 shelves


**UED\*-X** 80/90 cm



**XL Chamfered corner base  
unit**  
1 pinned door,  
2 shelves


**UE\*-X** 80/90 cm

### XL Half-corner units




**XL Corner base unit**  
1 continuous door,  
2 shelves,  
1 angle filler  
Carcase widths: 900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UED90-40-X...x 1050-1150 mm  
UED90-45-X...x 1100-1200 mm  
UED100-50-X...x 1150-1250 mm  
UED100-60-X...x 1250-1350 mm

**UED90-40-X**  
**UED90-45-X**  
**UED100-50-X**  
**UED100-60-X**




**XL Corner base unit**  
1 drawer,  
1 door,  
1 shelf,  
1 angle filler  
Carcase widths: 900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UED90-40-X...x 1050-1150 mm  
UED90-45-X...x 1100-1200 mm  
UED100-50-X...x 1150-1250 mm  
UED100-60-X...x 1250-1350 mm

**UE90-40-X**  
**UE90-45-X**  
**UE100-50-X**  
**UE100-60-X**




**XL Corner unit with  
swivel pull-out**  
1 continuous door,  
2 wooden swivel tablars  
with metal railing,  
height adjustable,  
1 angle filler  
Carcase widths: 900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE\*90-45-X...x 1100-1200 mm  
UE\*100-50-X...x 1150-1250 mm  
UE\*100-60-X...x 1250-1350 mm

**UEDSA90-45-X**  
**UEDSA100-50-X**  
**UEDSA100-60-X**




**XL Corner unit with  
swivel pull-out**  
1 drawer,  
1 door,  
2 wooden swivel tablars  
with metal railing,  
height adjustable,  
1 angle filler  
Carcase widths: 900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE\*90-45-X...x 1100-1200 mm  
UE\*100-50-X...x 1150-1250 mm  
UE\*100-60-X...x 1250-1350 mm

**UESA90-45-X**  
**UESA100-50-X**  
**UESA100-60-X**



**XL Corner unit with  
swivel pull-out**  
1 pinned door,  
2 wooden swivel tablars  
with metal railing,  
height adjustable,  
1 angle filler  
Carcase widths:  
900, 1000 mm  
Planning dimensions:  
650 - 750 x ...  
UE\*90-45-X...x 1100-1200 mm  
UE\*100-50-X...x 1150-1250 mm  
UE\*100-60-X...x 1250-1350 mm

**UESAV90-45-X**  
**UESAV100-50-X**  
**UESAV100-60-X**



**Surcharge for recessed  
fillers**  
for fillers and half corner  
units, side section of  
carcase material,  
in carcase height,  
carcase depth: 561 mm

**MP-GS**




## Base units in XL height

Carcase depth: 561 mm  
Carcase height: 792 mm  
Plinth height: 70, 100, 150 or 200 mm




### XL Angle fillers



UPE-X  
UPE-V-X

**XL Angle filler**  
Continuous front material,  
70 x 70 mm, Planning  
dimensions: 650 x 650 mm

as above, however **variable**  
from 50 to 170 mm, Planning  
dimensions: 630 - 750 mm  
1st dimension = left  
2nd dimension = right




MP-GS

#### Surcharge for recessed fillers


for fillers and half corner  
units, side section of  
carcase material,  
in carcase height,  
carcase depth: 561 mm

### XL Fillers / Panelling




UPK\*-X 10/20 cm

**XL Filler**  
Carcase material,  
792 mm high,  
U-shaped seal for  
connection to wall,  
width: 100/200 mm




UPD\*-X 20 cm

**XL Front filler**  
Continuous front material,  
width: 200 mm



RK-79


**Base unit back panel**  
16 mm thick,  
720 mm high,  
width: 250 - 2000 mm,  
available in all carcase and  
worktop décors from décor  
group 1,  
Vario clip fastening,  
in case of reproduction  
finishes vertical wood grain



RKS-79

as above, however,  
continuous height,  
including floor profile:  
70 mm plinth height:  
882 mm  
100 mm plinth height:  
912 mm  
150 mm plinth height:  
962 mm  
200 mm plinth height:  
1012 mm

**Available floor profile  
colours:**  
010 Black  
014 Stainless steel  
appearance



RFD\*-79  
30/40/45/50/60 cm


**XL Base unit back panel**  
1 continuous front,  
789 mm high,  
Vario clip fastening,  
without drill holes

### XL Cooker housings




HUB-X 60 cm

**XL Cooker housing**  
1 fixed panel,  
aperture dimension: 595 mm



HUS\*-X 60 cm

**XL Cooker housing**  
1 plastic drawer,  
16 l capacity,  
interior dimensions:  
485 x 480 x 68 mm  
aperture dimension: 595 mm



HUG-X 60 cm


**XL Cooker housing**  
1 large-capacity drawer  
with second level for baking  
trays, plastic, 30 l capacity,  
interior dimensions:  
480 x 380 x 150 mm,  
aperture dimension: 595 mm

### XL Hot plate units



KD60-X 60 cm

**XL Hot plate unit**  
1 internal panel,  
1 construction shelf for heat  
insulation,  
1 door,  
2 shelves




K60-X 60 cm

**XL Hot plate unit**  
1 fixed panel,  
1 construction shelf for heat  
insulation,  
1 door,  
1 shelf



KS60-X 60 cm


**XL Hot plate unit**  
1 drawer,  
1 spacer shelf for hot plate,  
1 door,  
1 shelf



KS2A\*-X  
60/80/90/100/120 cm


**XL Hot plate unit**  
1 drawer,  
1 spacer shelf for hot plate,  
2 pull-outs

### XL-Doors for integrated appliances



GSBD\*-I-X 45/60 cm


**Continuous XL door**  
for fully integrated  
dishwashers,  
built-under fridge and  
freezer units  
with pull-outs,  
includes spacer strip



GSB\*-I-X 45/60 cm


**Pinned XL door**  
for fully integrated  
dishwashers,  
built-under fridge and  
freezer units  
with pull-outs,  
includes spacer strip

### XL Sink base units




SPUD\*-X 40/45/50/60 cm

**XL Sink base unit**  
1 internal panel,  
1 continuous door




SPU\*-X 40/45/50/60 cm

**XL Sink base unit**  
1 fixed panel,  
1 door



SPUD\*-X 80/90/100/120 cm

**XL Sink base unit**  
1 internal panel,  
2 continuous doors




SPU\*-X 80/90/100/120 cm

**XL Sink base unit**  
2 fixed panels,  
2 doors



SPUD\*-X  
40/45/50/60 cm

**XL Sink base unit**  
1 internal panel,  
1 continuous front with  
centred handle,  
without pull-out rails and  
drill holes




SPUA\*-X 40/45/50/60 cm

**XL Sink base unit**  
1 fixed panel,  
1 front with centred handle,  
without pull-out rails and  
drill holes


















SPUDA-ASK\*-X  
45/50/60 cm

**XL Sink unit Separato-K**  
1 internal panel,  
1 pull-out, 500 mm deep, with  
**waste separation system  
Separato-K**  
with pull-out lid,  
1 x 18 and 2 x 8 litres,  
500 mm width: with  
1 side organiser,  
600 mm width: with  
2 side organisers,  
1 bio lid (for all widths)




SPUA-ASK\*-X  
45/50/60 cm

**XL Sink unit Separato-K**  
1 fixed panel,  
1 pull-out, 500 mm deep, with  
**waste separation system  
Separato-K**  
with pull-out lid,  
1 x 18 and 2 x 8 litres,  
500 mm width: with  
1 side organiser,  
600 mm width: with  
2 side organisers,  
1 bio lid (for all widths)

Worktops	Niche cladding	Accessories for niche cladding
 <p><b>APN</b> 60/70/80/90/100/ 110/120 cm</p> <p><b>Worktop APN with N-edge</b> rounded front edge, sides sealed with straight décor edge. Price per running 100 mm, every 100 mm started will be invoiced. Maximum 5100 mm wide. Please quote the décor number in your order.</p>	 <p><b>NV 52</b> <b>NV 54</b> <b>NV 70</b></p> <p><b>Niche cladding</b> coated on both faces, 16 mm thick, <b>horizontal structure</b> (except 226 Metal art décor, 273 Carrara marble reproduction, 274 Teramo marble reproduction) with edge on all sides, width: 250 - 2580 mm <b>heights:</b> NV52 for niches beneath wall units of height 1 NV54 for niches beneath wall units of height 3 NV70 for niches beneath cooker hoods</p> <p><b>Price per started 100 mm.</b></p>	 <p><b>NPUK 500</b></p> <p><b>Plastic cover profile in translucent appearance</b> for niche or back panel cladding, 16 mm thick, self-adhesive, 5000 mm long</p>
 <p><b>APD</b> 60/70/80/90/100/ 110/117 cm</p> <p><b>Worktop APD with décor edge</b> front and side edges coated with straight décor edging material, 1.5 mm thick. Price per running 100 mm, every 100 mm started will be invoiced. Maximum 5100 mm wide. Please quote the décor and edge colour number in your order.</p>	<p><b>NV 203</b></p> <p>Niche cladding as above, <b>however with deviating dimensions acc. to sketch</b> max. 2580 mm wide, 2030 mm high, <b>1st dimension in direction of grain</b> coated edge all round. Minimum price: 0.5 m², minimum dimensions: 250 x 200 mm, <b>invoiced per m².</b></p>	 <p><b>WAPN</b> 200/400/500 cm</p> <p><b>Upstands for continuous planning with niche cladding</b> 2-piece plastic profile with sealing lip, incl. vertical sealing profile dimensions: 25 mm high, 25 mm deep, <b>delivered as strand material.</b></p> <p><b>Available in:</b> 014 Stainless steel appearance, 010 Black</p>
Worktop processing		
 <p><b>AP-R</b></p> <p><b>Surcharge for exterior and interior roundings deviating from the standard radii on worktops</b></p>		
 <p><b>APN-A</b> <b>APN-AS</b> <b>APD-A</b></p> <p><b>Surcharge for chamfered cuts</b> on worktops and tables, including edging</p>		 <p><b>WAPN-Z</b></p> <p><b>WAP accessory bag</b> matches the plastic upstands WAPN <u>consisting of:</u> 4 x interior corner 90° / 2 x interior corner 135° / 2 x exterior corner 90° / 2 x set of end caps for WAPN / 2 x set of end caps for niche cladding</p> <p><b>Available in:</b> 014 Stainless steel appearance, 010 Black</p>
 <p><b>AP-NF</b></p> <p><b>Tongue and groove joint</b> for worktop corners or extensions, incl. screw fittings, tongues and water resistant glue</p>		
 <p><b>AP-AUS</b></p> <p><b>Cut-outs for built in hobs, sinks or ventilation grills</b></p>		 <p><b>NKPU 200 / 400</b></p> <p><b>Aluminium profile, 2-piece with sealing profile</b> for niche and back panel cladding or as upstand, dimensions: 17 mm high, 20 mm deep</p> <p><b>Available in:</b> 014 Stainless steel appearance, 010 Black</p>
 <p><b>AP-IEK</b></p> <p><b>Surcharge for inner corners in square design</b> on worktops and tables with décor edge</p>		 <p><b>NKPO 200 / 400</b></p> <p><b>Niche profile on top aluminium profile, stainless steel appearance</b> for niche cladding incl. 1 set of end caps (left / right), dimensions: 16 mm high, 16 mm deep</p>
		 <p><b>NKP-Z</b></p> <p><b>1 set of end caps</b> matching aluminium profile for niche cladding NKPO</p>
		 <p><b>NKPEK</b></p> <p><b>NKP accessory bag</b> matches upstand NKPU</p> <p><b>Available in:</b> 014 Stainless steel appearance, 010 Black</p>

## Upright panels | Top shelves | Wall shelf units


### Upright panels for base units



**UWA 10/16/25/50 mm**

**Upright at end of run**  
incl. floor profile in  
014 Stainless steel  
appearance or  
010 Black,  
depth: 585 mm

Plinth height 70 mm: 790 mm  
Plinth height 100 mm: 820 mm  
Plinth height 150 mm: 870 mm  
Plinth height 200 mm: 920 mm




**UWR 10/16/25/50 mm**

**Upright for room designs**  
depth: 250 to 1170 mm,  
edged on both sides,  
incl. floor profile in  
014 Stainless steel  
appearance or  
010 Black

Plinth height 70 mm: 790 mm  
Plinth height 100 mm: 820 mm  
Plinth height 150 mm: 870 mm  
Plinth height 200 mm: 920 mm


### XL Upright panels for base units



**UWA-X 10/16/25/50 mm**

**XL Upright at end of run**  
incl. floor seal in  
014 Stainless steel  
appearance or  
010 Black,  
depth: 585 mm

Plinth height 70 mm: 862 mm  
Plinth height 100 mm: 892 mm  
Plinth height 150 mm: 942 mm  
Plinth height 200 mm: 992 mm




**UWR-X 10/16/25/50 mm**

**XL Upright for room designs**  
depth: 250 to 1170 mm,  
edged on both sides,  
incl. floor seal in  
014 Stainless steel  
appearance or  
010 Black


Plinth height 70 mm: 862 mm  
Plinth height 100 mm: 892 mm  
Plinth height 150 mm: 942 mm  
Plinth height 200 mm: 992 mm

### Upright panels for wall units



**WW 10/16/25/50 mm -1**


**Upright at end of run /  
intermediate upright for  
wall units,  
height 1**  
depth: 374 mm,  
height: 720 mm



**WW 10/16/25/50 mm -3**


**Upright at end of run /  
intermediate upright for  
wall units,  
height 3**  
depth: 374 mm,  
height: 864 mm

### Top shelves



**ADB10 38/39/59/90 cm**

**Top shelf,  
10 mm thick,  
for side- or highboard**  
coated on both faces,  
polymer edged on front  
and sides,  
length: 250 - 2580 mm




**ADB16 38/39/59/90 cm**

**Top shelf,  
16 mm thick,  
for side- or highboard**  
coated on both faces,  
polymer edged on front  
and sides,  
length: 250 - 2580 mm



**ADB25 38/39/59/90 cm**


**Top shelf,  
25 mm thick,  
for side- or highboard**  
coated on both faces,  
polymer edged on front  
and sides,  
length: 250 - 2580 mm



**ADB50 38/39/59/90 cm**

**Top shelf,  
50 mm thick,  
for side- or highboard**  
coated on both faces,  
polymer edged on front  
and sides,  
length: 250 - 2580 mm

### Wall shelf units



**WB25 30/40/45/50/  
60/65/80/90/  
100/120 cm**

**Plug-in wall shelf,  
25 mm thick**  
Carcase material,  
polymer edging all around,  
255 mm deep,  
incl. metal plug fitting




**VB16 100 cm**

**Wall shelf unit with shelf  
holders, 16 mm thick**  
255 mm deep,  
polymer edging all round,  
**available in widths from  
250 mm to 1000 mm,**  
includes 2 shelf holders  
VBH5

**VB16 258 cm**

Wall shelf unit with shelf  
holders as above,  
**however available in  
widths from 1001 mm to  
2580 mm,**  
includes 4 shelf holders  
VBH5

**Available shelf holder  
colours:**  
010 Black  
014 Stainless steel  
appearance




**VB25 100 cm**

**Wall shelf unit with shelf  
holders, 25 mm thick**  
255 mm deep,  
polymer edging all round,  
**available in widths from  
250 mm to 1000 mm,**  
includes 2 shelf holders  
VBH5

**VB25 258 cm**

Wall shelf unit with shelf  
holders as above,  
**however available in  
widths from 1001 mm to  
2580 mm,**  
includes 4 shelf holders  
VBH5

**Available shelf holder  
colours:**  
010 Black  
014 Stainless steel  
appearance



**VB50 100 cm**

**Wall shelf unit with shelf  
holders, 50 mm thick**  
255 mm deep,  
polymer edging all round,  
**available in widths from  
250 mm to 1000 mm,**  
includes 2 shelf holders  
VBH5

**VB50 258 cm**

Wall shelf unit with shelf  
holders as above,  
**however available in  
widths from 1001 mm to  
2580 mm,**  
includes 4 shelf holders  
VBH5


**Available shelf holder  
colours:**  
010 Black  
014 Stainless steel  
appearance



## Highboards – 1555 / 1585 / 1635 / 1685 mm high

Carcase depth: 561 mm  
Carcase height: 1485 mm  
Plinth height: 70, 100, 150 oder 200 mm


### Highboards



**Highboard**  
2 doors,  
1 fixed shelf,  
3 shelves

H 30/40/50/60 cm


### Housing for ovens



**Oven housing**  
aperture height: 590 mm  
1 fixed compensation panel,  
1 drawer,  
1 door,  
1 shelf

GOS


### Integrated appliance housings with aperture height up to 880 mm



**Appliance housing for  
integrated fridge**  
aperture height: 880 mm  
1 appliance door,  
2 pull-outs

G88A


### Integrated appliance housings with aperture height up to 1230 mm



**Appliance housing for  
integrated fridge**  
aperture height: 1230 mm  
1 appliance door,  
1 pull-out

G123A


### Appliance housings with aperture height up to 1450 mm



**Appliance housing for  
integrated fridge / freezer**  
aperture height: 1450 mm  
for Progress PKG 1453 and  
AEG SCB 614 F1 LS  
2 appliance doors,  
bottom shelf made of 2 mm sheet steel

G145S

### Fillers



**Filler**  
Carcase material,  
1485 mm high,  
U-shaped seal for  
connection to wall  
width: 230 mm


HPK 20 cm

## XL Highboards – 1654 / 1684 / 1734 / 1784 mm high

Carcase depth: 561 mm  
Carcase height: 1584 mm  
Plinth height: 70, 100, 150 oder 200 mm




### XL Highboards



**XL Highboard**  
2 doors,  
1 fixed shelf,  
3 shelves

H\*-X 30/40/50/60 cm


### XL Housing for ovens



**XL Oven housing**  
aperture height: 590 mm  
1 fixed compensation panel,  
1 drawer,  
1 door,  
2 shelves

GDOS-X


### XL Integrated appliance housings with aperture height up to 880 mm



**XL Appliance housing for  
integrated fridge**  
aperture height: 880 mm  
1 appliance door,  
2 pull-outs

G88A-X


### XL Integrated appliance housings with aperture height up to 1230 mm



**XL Appliance housing for  
integrated fridge**  
aperture height: 1230 mm  
1 appliance door,  
1 pull-out

G123A-X


### XL Appliance housings with aperture height up to 1450 mm



**XL Appliance housing for  
integrated fridge / freezer**  
aperture height: 1450 mm  
2 appliance doors

G145-X

### XL Fillers



**XL Filler**  
Carcase material,  
1584 mm high,  
U-shaped seal for  
connection to wall,  
width: 230 mm

HPK20-X 20 cm

## Tall units, height 1 – 2067 / 2097 / 2147 / 2197 mm high

Carcase depth: 561 mm  
Carcase height: 1997 mm  
Plinth height: 70, 100, 150 oder 200 mm

### Tall units




**Pantry unit**  
3 doors,  
2 fixed shelves,  
4 shelves

**H\*-1** 30/40/50/60 cm




**Pantry unit**  
2 doors,  
1 fixed shelf,  
4 shelves

**HDV\*-1** 30/40/50/60 cm




**Larder unit**  
1 pull-out with  
cushioned opening and  
closing SoftStoppPro,  
5 hanging baskets with  
wooden bottoms and  
metal railing, adjustable

**HA\*-1** 30/40 cm




**Larder unit**  
1 pull-out with  
cushioned opening and  
closing SoftStoppPro,  
5 hanging baskets with  
wooden bottoms and  
metal railing, adjustable

**HDA\*-1** 30/40 cm



**Broom cupboard**  
1 door,  
1 fixed shelf,  
1 shelf,  
1 lug connected door,  
1 system grid,  
2 baskets for cleaning  
materials,  
1 system shelf,  
1 hose rack for vacuum  
cleaner, 2 pegboards

**HB\*-1** 40/50/60 cm



**Tall unit**  
1 door,  
1 lug connected door,  
5 internal pull-outs,  
1 fixed shelf,  
1 shelf


**HI\*-1** 40/50/60 cm

### Appliance housing for ovens, microwaves, steam cookers, compact appliances




**Oven housing**  
aperture height: 590 mm  
2 doors,  
2 shelves

**GO-1**




**Oven housing**  
aperture height: 590 mm  
1 door,  
1 drawer,  
1 door,  
2 shelves

**GOS-1**




**Oven housing**  
aperture height: 590 mm  
1 door,  
1 shelf,  
1 drawer,  
2 pull-outs

**GOS2A-1**



**Appliance housing for  
oven and microwave with  
lifting door**  
aperture height: 370 mm  
aperture height: 590 mm  
1 flap,  
1 lifting door,  
1 door,  
1 shelf


**GLO-1**



**Appliance housing for  
oven and microwave with  
lifting door**  
aperture height: 370 mm  
aperture height: 590 mm  
1 flap,  
1 lifting door,  
2 pull-outs

**GLO2A-1**

### Appliance housings with aperture height up to 880 mm




**Appliance housing  
for integrated fridge**  
aperture height: 880 mm  
2 doors,  
1 appliance door,  
2 shelves

**G88-1**



**Appliance housing  
for integrated fridge**  
aperture height: 880 mm  
1 flap,  
1 door,  
1 appliance door,  
1 shelf


**GD88-1**



**Appliance housing  
for integrated fridge**  
aperture height: 880 mm  
1 door,  
1 shelf,  
1 appliance door,  
2 pull-outs


**G88A-1**

### Appliance housings with aperture height up to 1230 mm




**Appliance housing  
for integrated fridge**  
aperture height: 1230 mm  
1 appliance door,  
1 door,  
1 shelf

**G123-1**



**Appliance housing  
for integrated fridge**  
aperture height: 1230 mm  
1 door,  
1 shelf,  
1 appliance door,  
1 pull-out

**G123A-1**




**Appliance housing for  
integrated fridge / freezer**  
aperture height: 1230 mm  
1 door,  
1 shelf,  
1 appliance door for  
freezer compartment,  
1 internal panel,  
1 appliance door for  
fridge section

**G123G-1**


## Tall units, height 1 – 2067 / 2097 / 2147 / 2197 mm high

Carcase depth: 561 mm  
 Carcase height: 1997 mm  
 Plinth height: 70, 100, 150 oder 200 mm

### Appliance housings with aperture height up to 1450 mm




G145B-1




G145S-1

### Fillers / Cladding



HPK20-1 20 cm


**Filler**  
 Carcase material,  
 1997 mm high,  
 U-shaped seal for  
 connection to wall  
 width: 230 mm



HPD20-1 20 cm

**Front filler**  
 Continuous front material,  
 width: 200 mm

### Appliance housings with aperture height between 1580 - 1890 mm



GD178-1



## Tall units in XL height, height 1 XL – 2139 / 2169 / 2219 / 2269 mm high

Carcase depth: 561 mm  
Carcase height: 2069 mm  
Plinth height: 70, 100, 150 oder 200 mm




### XL Tall units




**H\*-1X** 30/40/50/60 cm




**HDV\*-1X** 30/40/50/60 cm




**HA\*-1X** 30/40 cm



**HDA\*-1X** 30/40 cm



**HB\*-1X** 40/50/60 cm



**HI\*-1X** 40/50/60 cm

### XL Appliance housing for ovens, micro-waves, steam cookers, compact appliances




**GO-1X**




**GOS-1X**



**GOS2A-1X**




**GLO-1X**



**GLO2A-1X**


### XL Appliance housings with aperture height up to 880 mm



**G88-1X**




**GD88-1X**




**G88A-1X**


### XL Appliance housings with aperture height up to 1230 mm



**G123-1X**



**G123A-1X**




**G123G-1X**

## Tall units in XL height, height 1 XL – 2139 / 2169 / 2219 / 2269 mm high


Carcase depth: 561 mm  
Carcase height: 2069 mm  
Plinth height: 70, 100, 150 oder 200 mm



### XL Appliance housings with aperture height up to 1450 mm




**G145-1X**




**G145A-1X**

### XL Fillers / Cladding




**HPK20-1X 20 cm**



**HPD20-1X 20 cm**

### XL Appliance housings with aperture height between 1580 - 1890 mm



**GD178-1X**





## Tall units in XL height, height 3 – 2230 / 2260 / 2310 / 2360 mm high

Carcase depth: 561 mm  
Carcase height: 2160 mm  
Plinth height: 70, 100, 150 oder 200 mm

### Tall units




**Pantry unit**  
3 doors,  
2 fixed shelves,  
4 shelves

**H\*-3** 30/40/50/60 cm




**Pantry unit**  
2 doors,  
1 fixed shelf,  
5 shelves

**HDV\*-3** 30/40/50/60 cm




**Larder unit**  
1 pull-out with  
cushioned opening and  
closing SoftStoppPro,  
6 hanging baskets with  
wooden bottoms and  
metal railing, adjustable

**HA\*-3** 30/40 cm




**Larder unit**  
1 pull-out with  
cushioned opening and  
closing SoftStoppPro,  
6 hanging baskets with  
wooden bottoms and  
metal railing, adjustable

**HDA\*-3** 30/40 cm



**Broom cupboard**  
1 door,  
1 fixed shelf,  
1 shelf,  
1 lug connected door,  
1 system grid,  
2 baskets for cleaning  
materials,  
1 system shelf,  
1 hose rack for vacuum  
cleaner, 2 pegboards

**HB\*-3** 40/50/60 cm



**Tall unit**  
1 door,  
1 lug connected door,  
5 internal pull-outs,  
1 fixed shelf,  
1 shelf


**HI\*-3** 40/50/60 cm

### Appliance housing for ovens, microwaves, steam cookers, compact appliances




**Oven housing**  
aperture height: 590 mm  
2 doors,  
1 fixed compensation panel,  
3 shelves

**GO-3**




**Oven housing**  
aperture height: 590 mm  
2 doors,  
1 fixed compensation panel,  
1 drawer,  
3 shelves

**GOS-3**




**Oven housing**  
aperture height: 590 mm  
1 door,  
2 shelves,  
1 fixed compensation panel,  
1 drawer,  
2 pull-outs

**GOS2A-3**



**Appliance housing for  
oven and microwave with  
lifting door**  
aperture height: 370 mm  
aperture height: 590 mm  
2 doors,  
1 lifting door,  
1 fixed compensation panel,  
1 shelf


**GLO-3**



**Appliance housing for  
oven and microwave with  
lifting door**  
aperture height: 370 mm  
aperture height: 590 mm  
1 door,  
1 shelf,  
1 lifting door,  
1 fixed compensation panel,  
2 pull-outs


**GLO2A-3**

### Appliance housings with aperture height up to 880 mm




**Appliance housing  
for integrated fridge**  
aperture height: 880 mm  
2 doors,  
1 appliance door,  
2 shelves

**G88-3**



**Appliance housing  
for integrated fridge**  
aperture height: 880 mm  
2 doors,  
1 appliance door,  
2 shelves


**GD88-3**



**Appliance housing  
for integrated fridge**  
aperture height: 880 mm  
1 door,  
1 shelf,  
1 appliance door,  
2 pull-outs


**G88A-3**

### Appliance housings with aperture height up to 1230 mm




**Appliance housing  
for integrated fridge**  
aperture height: 1230 mm  
1 flap,  
1 internal panel,  
1 appliance door,  
1 door,  
1 shelf

**G123-3**



**Appliance housing  
for integrated fridge**  
aperture height: 1230 mm  
1 door,  
1 shelf,  
1 internal panel,  
1 appliance door,  
1 pull-out

**G123A-3**





**Appliance housing for  
integrated fridge / freezer**  
aperture height: 1230 mm  
1 door,  
1 shelf,  
1 appliance door for  
freezer compartment,  
1 internal panel,  
1 appliance door for  
fridge section

**G123G-3**



## Tall units, height 3 – 2230 / 2260 / 2310 / 2360 mm high

Carcase depth: 561 mm  
Carcase height: 2160 mm  
Plinth height: 70, 100, 150 oder 200 mm


### Appliance housings with aperture height up to 1450 mm



### Fillers / Cladding




### Appliance housings with aperture height between 1580 - 1890 mm



## Wall units, 360 mm high

Carcase depth: 350 mm  
Carcase height: 360 mm


### Wall units 360 mm high



**W\*-36**  
45/50/60 cm

**Wall unit**  
1 door

**Also available with:**  
Color Concept fronts



**WK\*-36**  
45/50/60/80/90/100/  
120 cm

**Wall unit with flap door**  
1 flap,  
opening angle 107°

**Also available with:**  
Color Concept fronts



**WKG\*-36**  
50/60/80/90/100/  
120 cm

**Wall unit with framed glass flap door**  
1 framed glass flap door,  
clear glass No. 01,  
opening angle 107°,  
glass variations for a  
surcharge: No. 02 / 39

**Also available with:**  
Color Concept fronts

**o. Abb.**

**MP-GW**

**Surcharge for different glass choice**  
for glass variants:  
No. 02 Matt glass  
No. 39 Black glass

### Wall units 360 mm high



**WKSQ\*-36**  
50/60/80/90/100/  
120 cm


**Wall unit with glass doors**  
**Square**

1 aluminium framed flap,  
opening angle 107°,  
handleless version with wall  
unit bottom shelf with  
attached profile strip in  
stainless steel appearance

**Available in:**

No. 321 Aluminium framed  
front in stainless steel  
appearance with  
02 Matt glass  
No. 308 Aluminium framed  
front in stainless steel  
appearance with  
035 Grey glass  
No. 329 Aluminium framed  
front in Black with  
39 Black glass


### Fillers



**WPK\*-36**  
10/20 cm

**Filler**

Carcase material,  
360 mm high,  
U-shaped seal for  
connection to wall  
width: 100/200 mm



**WPD20-36**  
20 cm

**Front filler**

Continuous front material,  
2 shelves top and bottom,  
1 wall unit side panel:  
350 mm deep,  
width: 200 mm

**Also available with:**  
Color Concept fronts



## Wall units, height 1 – 720 mm high

Carcase depth: 350 mm  
Carcase height: 720 mm

### Wall units 720 mm high



**Wall unit**  
1 door,  
2 shelf

**W\*-1**  
20/25/30/35/40/45/50/55/60 cm


**Also available with:**  
Color Concept fronts



**Wall unit**  
2 doors,  
2 shelves

**W2T-1** 60 cm  
**W\*-1** 80/90/100 cm

**Also available with:**  
Color Concept fronts



**Wall unit**  
2 doors hinged  
parallel,  
2 shelves


**W2TP\*-1**  
80/90/100 cm

**Also available with:**  
Color Concept fronts



**Wall unit**  
1 folding door with slide  
mechanism,  
2 shelves


**WFT60-1**  
60 cm



**Wall unit,  
framed glass door**  
1 door,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

**WG\*-1**  
45/50/60 cm

**Also available with:**  
Color Concept fronts



**Wall unit,  
framed glass doors**  
2 doors,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

**WG\*-1**  
90/100 cm

**Also available with:**  
Color Concept fronts



**Wall unit,  
segmented glass door**  
1 door,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

**WGLS\*-1**  
45/50/60 cm

**Also available with:**  
Color Concept fronts

### Wall units 720 mm high




**Wall unit, segmented  
glass doors**  
2 doors,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

**WGLS-1**  
90/100 cm

**Also available with:**  
Color Concept fronts

**o. Abb.**  
**MP-GW**


**Surcharge for different  
glass choice**  
for glass variants:  
No. 02 Matt glass  
No. 39 Black glass



**Wall unit, folding/lifting  
door**  
1 folding/lifting door,  
2 original fronts,  
2 shelves

**WFL\*-1**  
50/60/80/90/100/120 cm


**Also available with:**  
Color Concept fronts



**Wall unit, folding/lifting door**  
1 folding/lifting door,  
1 top original front,  
1 bottom framed glass front,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

**WFLG\*-1**  
50/60/80/90/100/120 cm

**Also available with:**  
Color Concept fronts



**Wall unit for microwave**  
1 aperture  
depending on appliance  
height,  
1 flap  
as niche compensation


**WM\*-1**  
50/60 cm

**Also available with:**  
Color Concept fronts



**Corner wall unit,  
diagonal**  
1 door: 394 mm wide,  
opening angle 90°,  
2 shelves  
Planning dimensions:  
650 x 650 mm

**WED65-1**



**Corner wall unit**  
2 doors  
with 165° hinges,  
2 shelves,  
hinged side = first  
door to be opened

**WE\*-1**  
60/65/80/90 cm

**Also available with:**  
Color Concept fronts

### Wall units 720 mm high



**Corner wall unit**  
1 door,  
1 angle filler,  
2 shelves

**WE60-20-1**  
**WE80-35-1**  
**WE90-45-1**

**Carcase widths:**  
600 mm - door width: 194 mm  
782 mm - door width: 344 mm  
882 mm - door width: 444 mm

**Planning dimensions:**  
400 - 500 x ...  
WE60-20: x 650 - 750 mm  
WE80-35: x 800 - 900 mm  
WE90-45: x 900 - 1000 mm

**Also available with:**  
Color Concept fronts



**Open shelf wall unit**  
2 fixed shelves,  
side depth: 371 mm


**WR\*-1**  
15/20/30/40/45/50/60 cm



**Wall unit as bottle rack**  
4 fixed shelves,  
side depth: 371 mm


**WRF15-1**  
15 cm

### Fillers



**Filler**  
Carcase material,  
720 mm high,  
U-shaped seal for  
connection to wall

**WPK\*-1**  
10/20 cm



**Front filler**  
Continuous front material,  
2 shelves top and bottom,  
1 wall unit side panel:  
350 mm deep,  
width: 200 mm

**WPD20-1**  
20 cm


**Also available with:**  
Color Concept fronts



## Wall units, height 3 – 864 mm high

Carcase depth: 350 mm  
Carcase height: 864 mm

### Wall units 864 mm high



**Wall unit**  
1 door,  
2 shelves

903

**W\*-3** 20/25/30/35/40/45/50/55/60 cm



**Wall unit**  
2 doors,  
2 shelves

903


**W2T\*-3** 60 cm  
**W\*-3** 80/90/100 cm



**Wall unit**  
2 doors hinged  
parallel,  
2 shelves

903

**W2TP\*-3**  
80/90/100 cm



**Wall unit**  
1 folding door with slide  
mechanism,  
2 shelves

861


**WFT60-3**  
60 cm



**Wall unit,  
framed glass door**  
1 door,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

903

**WG\*-3**  
45/50/60 cm



**Wall unit,  
framed glass doors**  
2 doors,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

903


**WG\*-3**  
90/100 cm



**Wall unit,  
segmented glass door**  
1 door,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

141

**WGLS\*-3**  
45/50/60 cm



**Wall unit,  
segmented glass doors**  
2 doors,  
clear glass No. 01,  
2 glass shelves,  
glass variations for a  
surcharge: No. 02 / 39

141


**WGLS\*-3**  
90/100 cm

**o. Abb.**

**MP-GW**

**Surcharge for different  
glass choice**  
for glass variants:  
No. 02 Matt glass  
No. 39 Black glass

### Wall units 864 mm high



**Wall unit for microwave**  
1 aperture  
depending on appliance  
height,  
1 door as niche compensation,  
1 shelf

VAR

**WM\*-3**  
50/60 cm



**Corner wall unit,  
diagonal**  
1 door, 394 mm wide,  
opening angle 90°,  
2 shelves  
Planning dimensions:  
650 x 650 mm

903


**WED65-3**



**Corner wall unit**  
2 doors  
with 165° hinges,  
2 shelves,  
hinged side = first  
door to be opened

903

**WE\*-3**  
60/65/80/90 cm




**Corner wall unit**  
1 door,  
1 angle filler,  
2 shelves  
Carcase widths:  
600 mm - door width: 194 mm  
782 mm - door width: 344 mm  
882 mm - door width: 444 mm

903

**WE60-20-3**  
**WE80-35-3**  
**WE90-45-3**

Planning dimensions:  
400 - 500 x ...  
WE60-20: x 650 - 750 mm  
WE80-35: x 800 - 900 mm  
WE90-45: x 900 - 1000 mm



**Open shelf wall unit**  
2 fixed shelves,  
side depth: 371 mm

WR\*-3

15/20/30/40/45/50/60 cm




**Wall unit as bottle rack**  
5 fixed shelves,  
side depth: 371 mm,  
width: 150 mm

WRF15-3

15 cm


### Fillers



**Filler**  
Carcase material,  
864 mm high,  
U-shaped seal for  
connection to wall,  
width: 100 mm / 200 mm

WPK\*-3

10/20 cm




**Front filler**  
Continuous front material,  
2 shelves top and bottom,  
1 wall unit side panel:  
350 mm deep,  
width: 200 mm

861

**WPD20-3**  
20 cm

## Wall units for cooker hoods

### Wall units for cooker hoods




**Wall unit for  
slimline cooker hoods**  
internal panel,  
metal grids,  
80 mm deep,  
the number of metal grids  
depends on the built-in  
dimensions of the cooker  
hood,

**WDAF-57** 60 cm height: 576 mm

**WDAF-1** 60 cm height: 720 mm

**WDAF-3** 60 cm height: 864 mm

### Bridging shelf



**WZB260**

**Bridging shelf in  
carcase material**  
laminated on both faces in  
the same colour,  
16 mm thick,  
350 mm deep,  
with edging material on  
3 sides,  
for fitting between wall units  
or as a window bridging.  
**Price per running 100 mm,**  
invoiced per started 100 mm.  
Width: 250 - 2580 mm

**WZB60**

Bridging shelf in carcase  
material as above,  
**however 600 mm wide**




## Plastic cutlery trays and pull-out organisers




**Cutlery tray Trend**  
grey, height: 43 mm,  
fits drawer depth of 500 mm,  
side depth 561 mm

**BE\***  
30/40/45/50/60/80/  
90/100/120 cm




**BE\* -46**  
45/50/60/80/90/  
100/120 cm

**as above**, however for drawer depth 400 mm,  
side depth 461 mm




**Cutlery tray Move**  
silver-grey, with dividers for customisable divisions,  
height: 47 mm,  
fits drawer depth of 500 mm,  
side depth 561 mm

**BE\* M**  
30/40/45/50/60/80/  
90/100/120 cm



**BE\* -46 M**  
45/50/60/80/90/  
100/120 cm

**as above**, however for drawer depth 400 mm,  
side depth 461 mm



**Universal organiser**  
Alu profile with 4 dividers for individualised divisions, height: 125 mm, fits pull-out depth of 500 mm,  
side depth: 561 mm,  
1 alu profile of 600 mm width,  
2 alu profiles of 800 up to 900 mm width,  
3 alu profiles of 1000 up to 1200 mm width

**AUO 56**

*Please order the correct number for the unit width!*


**AUO 46**

**as above**, however for drawer depth 400 mm,  
side depth 461 mm




**Cutlery tray Concept**  
Non-slip soft touch surface,  
anthracite, height: 52 mm, fits drawer depth of 500 mm,  
side depth: 561 mm

**BE\* C**  
30/40/45/50/60/80/  
90/100/120 cm



**Pull-out organisation concept**  
anthracite, height: 100 mm, fits pull-out depth of 500 mm,  
side depth: 561 mm

**AO\* C**  
60/80/90/100/120 cm



## Accessories

### Beech cutlery trays and pull-out organisers




#### Beech wood cutlery tray

solid beech wood,  
height: 56 mm, fits drawer depth of 500 mm,  
side depth 561 mm

BE\* H

30/40/45/50/60/80/  
90/100/120 cm



#### Beech wood universal organiser

with solid wood partitions for individualised divisions,  
fits pull-out depth 500 mm,  
side depth 561 mm,  
incl. 7 solid wood partitions in beech for 600 mm width,  
incl. 10 solid wood partitions in beech for 800 / 900 / 1000 mm width,  
incl. 13 solid wood partitions in beech for 1200 mm width

AOS\* H

60/80/90/100/120 cm

### Oak cutlery trays and pull-out organisers




#### Oak wooden segment cutlery tray

solid wood design in oak,  
**with anti-slip mat in anthracite,**  
height: 55 mm, segment width: 274 mm,  
fits drawer depth of 500 mm,  
side depth: 561 mm,  
one wooden segment is delivered up to a width of 600 mm,  
for widths exceeding 800 mm, two wooden segments are delivered

BEHS\*E

40/45/50/60/80/90/  
100/120 cm



#### Universal organiser, oak

with solid wood partitions for individualised divisions,  
fits pull-out depth 500 mm,  
side depth: 561 mm,  
incl. 7 solid wood partitions in oak for 600 mm width,  
incl. 10 solid wood partitions in oak for 800 / 900 / 1000 mm width,  
incl. 13 solid wood partitions in oak for 1200 mm width

AOS\* E

60/80/90/100/120 cm

## Accessories

### Mounting sets



**MONSET 1**

#### Mounting set 1

consisting of:

- 1 ball siphon 1 1/2" with 40 mm drain white
- 1 space-saving connector white
- 1 HT bend DN 40/87 grey
- 1 HT tube DN 40 x 250 mm grey
- 1 HT transition element DN 40/50 mm grey
- 1 cooker connection cable, 5 x 2.5 mm<sup>2</sup>, 2000 mm long
- 2 flex hoses acc. to KTW-A, 300 mm long, 3/8" x 10 mm with union nut




**MONSET 2**

#### Mounting set 2

consisting of:

- 1 ball siphon 1 1/2" with 40 mm drain white
- 1 space-saving connector white
- 1 HT bend DN 40/87 grey
- 1 HT tube DN 40 x 250 mm grey
- 1 HT transition element DN 40/50 mm grey
- 1 cooker connection cable, 5 x 2.5 mm<sup>2</sup>, 2000 mm long
- 2 flex hoses acc. to KTW-A, 300 mm long, 3/8" x 10 mm with union nut
- 1 hose clip, 16 - 25mm
- 1 table socket, triple, sockets - model F, with contact protection, white with 1500 mm supply line, 3 x 1.5 mm<sup>2</sup>

### Accessories for sink units



**FB\***

40/45/50/60/80/90/  
100/120 cm

#### Moisture protection sheet

aluminium sheet, serrated, for sink base units, cannot be used with front pull-outs, fits only for a side depth of 561 mm

**FB90:** also fits corner sink units SPUE(D)90-45(-X) and NSPUE90-45(-X)

**FB100:** also fits corner sink units SPUE(D)100-50(-X) and NSPUE100-50(-X)



**WSMS\***

40/45/50/60/80/90/  
100/120 cm

#### Waterproof mat

plastic, slate grey, for sink base units, not for use with front pull-outs, fits only side depth of 561 mm

*Not possible in conjunction with hose and cable feed-through SKD or with opening support mechanism Libero AOUL.*

### Upstands



**WAP**

200/400/500 cm


#### Plastic upstand

Top section with sealing lips, dimensions: 25 mm high, 25 mm deep, delivered as strand material.

Available in all worktop décors,

**also available in:**

No. 014 Stainless steel appearance



**WAP-Z**

#### WAP accessory bag

matches the plastic upstands WAPN

consisting of:

- 4 x interior corner 90°
- 2 x interior corner 135°
- 2 x exterior corner 90°
- 2 x set of end caps



**WAPN**

200/400/500 cm

#### Upstands for continuous planning with niche cladding

2-piece plastic profile with sealing lip, incl. vertical sealing profile, dimensions: 25 mm high, 25 mm deep, delivered as strand material.

**Available in:**

014 Stainless steel appearance, 010 Black



**WAPN-Z**

#### WAP accessory bag

matches the plastic upstands WAPN


consisting of:

- 4 x interior corner 90° / 2 x interior corner 135°
- 2 x exterior corner 90°
- 2 x set of end caps for WAPN
- 2 x set of end caps for niche cladding


**Available in:**

014 Stainless steel appearance, 010 Black


### Height grid, carcase heights




### Height grid, XL carcass heights




### Height grid, standard and maxi door dimensions




### Height grid, XL door dimensions




Height grid, tall units



Tall unit height H-1




Tall unit height H-1 XL



Tall unit height H-3

### Dimensional drawings for upright panels

Uprights at end of run for base units, sideboards and tall units are supplied as standard with an upright panel shoe.  
The upright panel shoe is included in the price of the upright panel and is available in: 014 Stainless steel appearance, 010 Black.  
If no colour is specified in the order, the version 014 Stainless steel appearance will automatically be supplied.



The height of the upright panel is reduced by the interior height dimensions of the profile and thus calculated as follows:

$$\begin{aligned} &\text{carcase height} \\ &+ \text{plinth height} \\ &\text{less 8 mm interior chamfering of the floor profile} \\ &= \text{upright panel height} \end{aligned}$$

### Ordering correctly

#### Necessary Order Information

Complete and accurate data is absolutely necessary for the processing and production of your order, since an accurate and clear order allows us to immediately begin processing your order without time-consuming enquiries.

**For this reason, your order must contain the following information:**

- Range name and front number
- Handle number
- Drill pattern number
- Carcase colour number
- Plinth height and colour  
(if not specified, the standard plinth height of 150 mm will be supplied)
- Worktop design / décor
- Worktop edge design / edge colour
- Worktop sketch with dimensions and indication of tongue and groove joints
- Design of the worktop outer corner (for APD): square or round
- Upright / top shelf design including the colour number and upright thickness / Upright panel floor seal colour
- Shelf colours
- Glass design and / or colour
- Roll-up front colour
- Cornice profile / light pelmet profile including colour for each
- Order number and / or abbreviation
- Manufacturer information and built-in appliance model identification
- Kitchen block number (for kitchen block orders)
- Layout sketch with dimension information in 1:20 ratio
- Please draw / write any special productions in the centre of the layout sketch



